

CONMARBLE
NATURAL FINISHES



COLOUR & RANGE SHEET

MORBIDO TOCCO

Colour and range sheet

A CONMARBLE NATURAL FINISHES SYSTEM · DECORATIVE FINISHES

MANUFACTURED BY

GIORGIO GRAESAN
and Friends

Giorgio Graesan & Friends · Italy

Reproduced in full and unaltered. Transmitted by Building Layers by Conmarble as supplier and approved applicator.

[VIEW OUR PROFILE](#)

[CONMARBLE.COM](https://conmarble.com)

BUILDING LAYERS BY CONMARBLE – Tabqat Albunyan Company For Contracting – CR: 7041240065
Showroom Location : Al Urubah Road, Al Olaya, PMV69+7V, City of Riyadh 12333, Saudi Arabia
Email: ahmad@conmarble.com, Insta: @conmarble, Tel: KSA +966 547 888 809 · QA +974 5573 7641

JULY 2026



Morbido Tocco Italiano can also be applied directly on Segui il Tuo Istinto in all its processes (Pietra Spaccata, Bamboo, Zen, etc.) without any preparation.

It can also be applied directly on previous applications such as Gioia, Oro, Vetro and Ipervetro.

It cannot be applied on Cera del Vecchio and Cera D'Api.

Treatable after about 12-14 hours. The wall reaches complete washability after 7 days.

Conservation: in a dry, cool place, away from the frost and humidity.




Step 1 - Clean and prepare the support (walls, furniture, etc.) as suitable



Step 2 - Colour Morbido Tocco Italiano and mix well. Ready to use (dilute max 5%/10% with water)




Step 3 - Apply the first coat with a roller (PE15), coverage 8/10 m²/lt each coat



Step 4 - When the wall is dry, apply a second coat with a roller (PE15)



Step 5 - After at least 12 hours, apply with a roller (PE15) Vetro Opaco diluted 30% with water. Coverage 15/18 m²/lt



Step 6 - Let dry (wall is washable after 7 days)

Coverage



LT. 5	40 mq/Coat
LT. 2,5	20 mq/Coat
LT. 1	8 mq/Coat

Packages	Vetro Opaco Art. 1015
mq/lt	15-18
LT. 2,5	37,5 mq
LT. 1	15 mq

Formulae

Packages	Morbido Tocco				
	Art. 2070 MT1	MT2	MT3	MT4	MT5
Lt. 5	750 ml	250 ml	62 ml	20 ml	7 ml
Lt. 2,5	375 ml	125 ml	31 ml	10 ml	3,5 ml
Lt. 1	150 ml	50 ml	12,4 ml	4 ml	1,4 ml

Does not contains solvents - Not inflammable

Regulatory information

EU VOC limit for this product (cat.A/I): 200 g/l (2010)

BASE

Maximum VOC content 4,8 g/l

VETRO OPACO

Maximum VOC content 49,12 g/l

Hazard Identification

H210: Safety datasheet available on request.

H208: Contains mixture of 5-chloro-2-methyl-2H-isothiazol-3-one [EC No. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May cause an allergic reaction.

GIORGIO GRAESAN
and Friends



Contact us

Showroom

Dealers

Decorators

News

Videos

Hints

Samples

Security sheets

Technical sheets

Buy Online

Designed and Made in Italy

Giorgio Graesan & Friends Sas di Shila Graesan

VAT # IT05374620960

Cookie Preferences

