



CONMARBLE  
NATURAL FINISHES



SAFETY DATA SHEET  
**MICROPOOL**  
*Safety data sheet*

A CONMARBLE NATURAL FINISHES SYSTEM · MICROCEMENT

MANUFACTURED BY  
**CEMHER**  
Cemher · Spain

*Reproduced in full and unaltered. Transmitted by Building Layers by Conmarble as supplier and approved applicator.*

[VIEW OUR PROFILE](#)

[CONMARBLE.COM](https://conmarble.com)

**BUILDING LAYERS BY CONMARBLE** – Tabqat Albunyan Company For Contracting – CR: 7041240065  
Showroom Location : Al Urubah Road, Al Olaya, PMV69+7V, City of Riyadh 12333, Saudi Arabia  
Email: ahmad@conmarble.com, Insta: @conmarble, Tel: KSA +966 547 888 809 · QA +974 5573 7641

JULY 2026

**Product:**  
**MICROPOOL**

*Version 2.0 / 03/02/2024*

*Replaces all previous versions*

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1 Product identifier**

Trade name: MICRO POOL

### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

#### **1.2.1 Relevant identified uses**

Main use category: Industrial use. Professional use

Industrial/Professional use spec: Construction materials

Use of the substance/mixture: MORTAR

Function or use category: Construction materials

#### **1.2.2 Uses advised against**

No additional information available

### **1.3 Details of the supplier of the safety data sheet**

Company: PINTURAS KILNHER

Address: Pol. Ind. La Figuera, C/LLanterners, 44. 46394

City: ALACUAS

Province: VALENCIA

Telephone: (+34) 961 505 024

Fax: (+34) 961 505 024

E-mail: kilnher@kilnher.com

Web: www.kilnher.com

### **1.4 Emergency telephone number**

(+34) 961 505 024 (Only available during office hours; Monday-Friday; 07:00-15:00)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

| Hazard class                      | Hazard category | Indications of danger |
|-----------------------------------|-----------------|-----------------------|
| Serious eye damage/eye irritation | 1               | H318                  |

\* Full text of H statements: see section 16

### Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye damage.

### 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### Hazard pictograms (CLP)

GHS05



#### Signal word (CLP)

Danger

#### Hazard statements (CLP)

**H318** - Causes serious eye damage.

#### Precautionary statements (CLP)

**P102** - Keep out of reach of children.

**P280** - Wear eye protection, protective gloves.

**P305+P351+P338** - **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**P302+P352** - **IF ON SKIN:** Wash with plenty of soap and water.

**P261** - Avoid breathing dust.

#### Extra phrases

Dispose of contents/container in accordance with regional/national/international/local regulations.

### 2.3 Other hazards

**Other hazards which do not result in classification:**

The product contains chromate reducer, whereby the content of water-soluble chromium (VI) is less than 0.0002%.  
With proper storage (dry) and consumption within the specified storage time, a sensitizing effect of the cement / binder by contact with skin cannot occur (H317 or EUH203 can therefore be omitted).

**PBT:** not relevant – no registration required

**vPvB:** not relevant – no registration required

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

| Component                    |                                                                                                                                                                                 |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Portland cement (65997-15-1) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII<br>This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixtures

| Name                                                                                               | Product identifier                       | %             | Classification according to Regulation (EC) No. 1272/2008 [CLP]                  |
|----------------------------------------------------------------------------------------------------|------------------------------------------|---------------|----------------------------------------------------------------------------------|
| Portland cement                                                                                    | CAS-No.: 65997-15-1<br>EC-No.: 266-043-4 | > 10-<br>< 50 | Skin Sens. 1, H317<br>Eye Dam. 1, H318<br>Skin Irrit. 2, H315<br>STOT SE 3, H335 |
| Marble / limestone (Calcium carbonate)                                                             | CAS-No.: 1317-65-3<br>EC-No.: 215-279-6  | > 10-<br>< 50 | Not classified                                                                   |
| Quartz, conc respirable crystalline silica<1 % substance with a Community workplace exposure limit | CAS-No.: 14808-60-7<br>EC-No.: 238-878-4 | > 10-<br>< 50 | Not classified                                                                   |

\* Full text of H statements: see section 16

Comments: Chromium (VI) compounds < 2 ppm

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### First-aid measures after inhalation

Remove person to fresh air and keep comfortable for breathing.

#### First-aid measures after skin contact

Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.

#### First-aid measures after eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

#### First-aid measures after ingestion

If the person is fully conscious, make him/her drink plenty of water. Never give an unconscious person anything to drink. Do not induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact: Irritation.

Symptoms/effects after eye contact: Serious damage to eyes.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

**Suitable extinguishing media:** Use extinguishing media appropriate for surrounding fire

**Unsuitable extinguishing media:** high volume water jet.

### 5.2 Special hazards arising from the substance or mixture

**Fire hazard:** No fire hazard.

**Explosion hazard:** None.

**Hazardous decomposition products in case of fire:**  
None.

### 5.3. Advice for firefighters

**Precautionary measures fire:** No specific measures are necessary.

**Protection during firefighting:** Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

**General measures:** Absorb spillage to prevent material damage.

#### 6.1.1 For non-emergency personnel

**Protective equipment:** Precautions for safe handling. See Section 7.

**Emergency procedures:** Avoid contact with skin and eyes.

#### 6.1.2 For emergency responders

**Emergency procedures:** No specific measures are necessary.

### 6.2 Environment related measures

Prevent entry to sewers and public waters.

### 6.3 Methods and material for containment and cleaning up

**For containment:** Collect spillage.

**Methods for cleaning up:** Mechanically recover the product. Minimise generation of dust. Collect spillage. Do not use compressed air for cleaning.

### 6.4 Reference to other sections

For further information refer to section 13. See Section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

**Additional hazards when processed:** See Section 8.

**Precautions for safe handling:** Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.

**Hygiene measures:** Wear protective gloves. Do not eat, drink or smoke when using this product.

### 7.2 Conditions for safe storage, including any incompatibilities

**Storage conditions:** Protect from moisture. Store in a dry place. The product contains chromate reducer, whereby the content of water-soluble chromium (VI) is less than 0.0002%.

With proper storage (dry) and consumption within the specified storage time, a sensitizing effect of the cement / binder by contact with skin cannot occur (H317 or EUH203 can therefore be omitted).

**Incompatible materials:** Aluminium. ammonium salts. Acids.

**Storage area:** dry.

### 7.3 Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### 8.1.1 National occupational exposure and biological limit values

| Portland cement (65997-15-1) |                                             |
|------------------------------|---------------------------------------------|
| Occupational Exposure Limits |                                             |
| Local name                   | Portland cement                             |
| WEL TWA (OEL TWA) [1]        | 10 mg/m <sup>3</sup><br>4 mg/m <sup>3</sup> |
| Regulatory reference         | EH40/2005 (Fourth edition, 2020). HSE       |

#### 8.1.2 Recommended monitoring procedures

No additional information available

#### 8.1.3 Air contaminants formed

No additional information available

#### 8.1.4 DNEL and PNEC

| Calcium carbonate (1317-65-3) |                      |
|-------------------------------|----------------------|
| WEL TWA (OEL TWA) [1]         | 10 mg/m <sup>3</sup> |

| Quartz (14808-60-7) |                                                              |
|---------------------|--------------------------------------------------------------|
| BOEL V (EU)         | Long-term value: 0.1* mg/m <sup>3</sup> *respirable fraction |

#### 8.1.5 Control banding

No additional information available

### 8.2 Exposure controls

#### 8.2.1 Appropriate engineering controls

Appropriate engineering controls:  
Ensure good ventilation of the work station.

### 8.2.2 Personal protection equipment

#### Eye protection



Wear closed safety glasses

#### Skin and body protection

Wear proper protective equipment

#### Hand protection



Protective gloves. The following materials are suitable for protective gloves:  
Nitrile impregnated cotton gloves (layer thickness of about 0,15 mm).

#### Respiratory protection



If the occupational exposure limit is exceeded

#### Thermal hazards

No additional information available

### 8.2.3 Environmental exposure controls

**Environmental exposure controls:** Avoid release to the environment.

**Other information:** Use care during processing to minimize generation of dust. Avoid creating or spreading dust.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Physical state:** Solid

**Colour:** White

**Appearance:** Powder

**Odour:** odourless.

**Odour threshold:** Not available

**Melting point:** > 1250 °C

**Freezing point:** Not available

**Boiling point:** Not applicable

**Flammability:** Non flammable

**Explosive properties:** None

**Oxidising properties:** None.

**Explosive limits:** Not applicable

**Lower explosive limit (LEL):** Not available

**Upper explosive limit (UEL):** Not available

**Flash point:** Not available

**Auto-ignition temperature:** Not available

**Decomposition temperature:** Not available

**pH:** 11 Aqueous solution

**pH solution:** Not available

**Viscosity, kinematic:** Not available

**Viscosity, dynamic:** Not applicable

**Solubility:** Water: 0.1 – 1.5 g/l @ 20°C

**Partition coefficient n-octanol/water (Log Kow):** Not available

**Vapour pressure:** Not available

**Vapour pressure at 50 °C:** Not available

**Density:** 2. 0– 2.2 g/cm<sup>3</sup>

**Relative density:** Not available

**Relative vapour density at 20 °C:** Not available

**Particle size:** Not applicable

**Particle size distribution:** Not applicable

**Particle shape:** Not applicable

**Particle aspect ratio:** Not applicable

**Particle aggregation state:** Not applicable

**Particle agglomeration state:** Not applicable

**Particle specific surface area:** Not applicable

**Particle dustiness:** Not applicable



9.2 Other information

9.2.1 Information with regard to physical hazard classes

No additional information available

9.2.2 Other safety characteristics

VOC content: < 2 %  
Bulk density: 900 – 1200 kg/m³

SECTION 10: Stability and reactivity

10.1 Reactivity

Reacts with water.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Acids, ammonium salts, Aluminium.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral): Not classified  
Acute toxicity (dermal): Not classified  
Acute toxicity (inhalation): Not classified  
Skin corrosion/irritation: Not classified / pH: 11.5 Aqueous solution  
Serious eye damage/irritation: Causes serious eye damage / pH: 11.5 Aqueous solution  
Respiratory or skin sensitisation: Not classified  
Germ cell mutagenicity: Not classified  
Carcinogenicity: Not classified  
Reproductive toxicity: Not classified  
STOT-single exposure: Not classified  
STOT-repeated exposure: Not classified  
Aspiration hazard: Not classified

| Portland cement (65997-15-1) |                                   |
|------------------------------|-----------------------------------|
| STOT-single exposure         | May cause respiratory irritation. |
| Viscosity, kinematic         | Not applicable                    |

## 11.2 Information on other hazards

### 11.2.1 Endocrine disrupting properties

No additional information available

### 11.2.2 Other information

**Potential adverse human health effects and symptoms:** Irritation: severely irritant to eyes

## SECTION 12: Ecological information

### 12.1 Toxicity

**Ecology - general:** The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

**Hazardous to the aquatic environment, short-term (acute):** Not classified

**Hazardous to the aquatic environment, long-term (chronic):** Not classified

#### Portland cement (65997-15-1)

LC50 - Fish [1]

> 1000 mg/l (96 h, Pisces)

### 12.2 Persistence and degradability

#### Portland cement (65997-15-1)

Bioaccumulative potential

No bioaccumulation data available.

### 12.3 Bioaccumulative potential

Bioaccumulative potential

Not potentially bioaccumulable.

#### Portland cement (65997-15-1)

Surface tension

No data available in the literature

Ecology - soil

No (test) data on mobility of the substance available.

### 12.4 Mobility in soil

Ecology - soil

None.

Persistence and degradability

Not applicable. Inorganic Particulate Substances.

BOD (% of ThOD)

Not applicable

**Portland cement (65997-15-1)**

|                               |                                   |
|-------------------------------|-----------------------------------|
| Persistence and degradability | Biodegradability: not applicable. |
| Chemical oxygen demand (COD)  | Not applicable (inorganic)        |
| ThOD                          | Not applicable (inorganic)        |
| BOD (% of ThOD)               | Not applicable                    |

**12.5 Results of PBT and vPvB assessment**

|                    |                          |
|--------------------|--------------------------|
| PBT: not relevant  | no registration required |
| vPvB: not relevant | no registration required |

**12.6 Endocrine disrupting properties**

No additional information available

**12.7 Other adverse effects**

No additional information available

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

**Regional waste regulation:** Disposal must be done according to official regulations.

**Waste treatment methods:** Dispose of contents/container in accordance with licensed collector's sorting instructions.

**Product/Packaging disposal recommendations:** Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.

**Ecology - waste materials:** Avoid release to the environment.

**European List of Waste (LoW, EC 2000/532):**

17 01 01 - concrete

10 13 14 - waste concrete and concrete sludge

For residues

01 04 07\* - wastes containing dangerous substances from physical and chemical processing of non-metalliferous minerals

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

| ADR                                    | IMDG           | IATA           |
|----------------------------------------|----------------|----------------|
| <b>14.1 UN number</b>                  |                |                |
| Not applicable                         | Not applicable | Not applicable |
| <b>14.2 UN proper shipping name</b>    |                |                |
| Not applicable                         | Not applicable | Not applicable |
| <b>14.3 Transport hazard class(es)</b> |                |                |
| Not applicable                         | Not applicable | Not applicable |
| <b>14.4 Packing group</b>              |                |                |
| Not applicable                         | Not applicable | Not applicable |
| <b>14.5 Environmental hazards</b>      |                |                |
| Not applicable                         | Not applicable | Not applicable |

No supplementary information available

### 14.6 Special precautions for user

**Overland transport:** Not applicable

**Transport by sea:** Not applicable

**Air transport:** Not applicable

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable



## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1 EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals) Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants) Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

VOC content: < 3 %

Other information, restriction and prohibition regulations:

1. Cement and cement-containing mixtures shall not be placed on the market, or used, if they contain, when hydrated, more than 2 mg/kg (0,0002 %) soluble chromium VI of the total dry weight of the cement.

2. If reducing agents are used, then without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of cement or cement-containing mixtures is visibly, legibly and indelibly marked with information on the packing date, as well as on the storage conditions and the storage period appropriate to maintaining the activity of the reducing agent and to keeping the content of soluble chromium VI below the limit indicated in paragraph 1.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the placing on the market for, and use in, controlled closed and totally automated processes in which cement and cement-containing mixtures are handled solely by machines and in which there is no possibility of contact with the skin.

4. The standard adopted by the European Committee for Standardization (CEN) for testing the water-soluble chromium (VI) content of cement and cement-containing mixtures shall be used as the test method for demonstrating conformity with paragraph 1.

5. Leather articles coming into contact with the skin shall not be placed on the market where they contain chromium VI in concentrations equal to or greater than 3 mg/kg (0,0003 % by weight) of the total dry weight of the leather.

6. Articles containing leather parts coming into contact with the skin shall not be placed on the market where any of those leather parts contains chromium VI in concentrations equal to or greater than 3 mg/kg (0,0003 % by weight) of the total dry weight of that leather part.

7. Paragraphs 5 and 6 shall not apply to the placing on the market of second-hand articles which were in end-use in the Union before 1 May 2015.

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2 National regulations

No additional information available

#### 15.2 Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Full text of H- and EUH-statements: |                                      |                                                                                |
|-------------------------------------|--------------------------------------|--------------------------------------------------------------------------------|
| Eye Dam. 1                          | Category 1                           | Serious eye damage/eye irritation                                              |
| H315                                | Causes skin irritation.              |                                                                                |
| H317                                | May cause an allergic skin reaction. |                                                                                |
| H318                                | Causes serious eye damage.           |                                                                                |
| H335                                | May cause respiratory irritation     |                                                                                |
| Skin Irrit. 2                       | Category 2                           | Skin corrosion/irritation                                                      |
| Skin Sens. 1                        | Category 1                           | Skin sensitisation                                                             |
| STOT SE 3                           | Category 3                           | Specific target organ toxicity – Single exposure, Respiratory tract irritation |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

